

REMOVABLE RESTORATIONS

Economical Tooth Shade

59	62	65	66	<input type="checkbox"/> Classics
67	69	77	81	

Only available in these shades.

High Dense Quality Tooth Shade

Ivoclar
 Vita
 Mondial

Conventional Acrylic
 Injection Acrylic



Light (199)
 Medium
 Dark
 Impression Trays

Teeth Shape: _____
 Anterior: _____ Posterior: _____

CHECKLIST

Master Impression (Md) Opposing Cast Photo
 Master Cast (Mx) Centric Occlusal Record
 Design Cast Study Models

Design Case Here



Flipper (up to 2 teeth) 1 wd
 Temporary Partial Setup 3 wd
 Temporary Partial Process 3 wd
 Denture Setup 3 wd
 Denture Process 3 wd
 Valplast Setup 3 wd
 Valplast Process 3 wd
 Cusil Setup 3 wd
 Cusil Process 4 wd
 Night Guard 4 wd
 Talon Night Guard 4 wd
 Therm. Plastic Night Guard 4 wd
 Bleaching Splint 1 wd
 Ortho Appl 3 wd
 Study Model 7 wd

wd = working days

Base Plate 1 wd
 Digital Metal Partial 7 wd
 Set Up 3 wd
 Process 3 wd
 Process Valplast 4 wd
 Cusil 4 wd

wd = working days

SERETTI

DENTAL LABORATORY

1820 West 35th St.
 Austin, Texas 78703
 (512) 452-8989
 Fax: (512) 452-9071
 seretti.dental@yahoo.com

INVOICE NUMBER

ALL RED AREAS REQUIRED

Doctor: _____ Clinic: _____

PLEASE PRINT! For ID's on appliances No ID
 Patient: _____
 Phone: _____ Age: _____ Sex: M / F
 Address: _____
 Date: _____

(Do not schedule cases before 11:15am in Austin 12:15pm outside Austin. Thanks!)

Due Date: _____ **Time:** _____

If delivery Dr. different from above
 Faster service available for \$26.00 per unit or arch.
 (Do not include day of pick up or delivery.)

Cases with improper due date will be charged with a rush fee. Please call if you need help.

RX Instructions

Same day service will need to be called in before 8:30am and ready to pick up no later than 8:45am. Case will be delivered by 4:30pm. Thanks!

Has this case been disinfected? Yes No

Signature _____ Lic. No. _____

Cost of collection of any account will be paid by customer.

Need more lab slips

FIXED RESTORATIONS

Date out for trim

Date in after die trim

Alloys

Non-precious
 Semi-precious
 High Noble-precious


Type of restoration

Cast crown 8 wd
 Gold Silver
 Porcelain to metal 8 wd
 E. Max 11 wd
 Zirconia 11 wd
 Procera 11 wd
 Bruxzir zirconia 11 wd
 Veneer 11 wd
 Custom abutements 14 wd

Study Model Photos

Pontic Design

Ridge Relief: Scrape
 Socket None



Porcelain veneers

Please provide following info:

Change color
 Close spaces
 Correct malalignment
 Increase length
 _____ MM

Shade of pre-op teeth:

Contact

Point Normal

Heavy & Broad



Shade desired:

Metal Try In Bisque Try In Finish

Occlusal surface Metal Porcelain
Buccal margins Porc. Metal Band Porc. shoulder
Opposing teeth to be restored Yes No Relieved
Gingival embrasures Closed Normal Open

Shade Instructions

Occlusal staining None Light Medium Heavy
Surface texture Smooth Moderate Heavy
Surface gloss High Moderate Low

